

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

DATE MAILED: 09/06/2006

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/725,264	12/01/2003	Paul Adams	BIC-019	2942	
29626	7590 09/06/2006		EXAMINER		
THE H.T. THAN LAW GROUP WATERFRONT CENTER SUITE 560 1010 WISCONSIN AVENUE NW			DOUGLAS, STEVEN O		
			ART UNIT	PAPER NUMBER	
WASHING	TON, DC 20007		3751		

Please find below and/or attached an Office communication concerning this application or proceeding.

 \mathcal{C}

Supplemental					
Notice of Allowability					

Application No.	Applicant(s)	
10/725,264	ADAMS ET AL.	
Examiner	Art Unit	
Steven O. Douglas	3751	

	Examiner	Art Unit	
	Steven O. Douglas	3751	
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOT of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	olication. If not include will be mailed in due	ed course. THIS
1. This communication is responsive to papers filed 6-23-06.			
2. The allowed claim(s) is/are <u>13-36 and 49-60</u> .			
3. ☐ Acknowledgment is made of a claim for foreign priority una) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. ☐ A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must (a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	been received. been received in Application No cuments have been received in this is of this communication to file a reply of this application. itted. Note the attached EXAMINER' as reason(s) why the oath or declarate the submitted. on's Patent Drawing Review (PTO-5)	national stage applicated complying with the red S AMENDMENT or Nation is deficient.	quirements
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the	.84(c)) should be written on the drawing header according to 37 CFR 1 121(c)	igs in the front (not the	back) of
6. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MATERIAL n	nust be submitted. N	Note the
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. Notice of Informal P. 6. Interview Summary Paper No./Mail Dat 8), 7. Examiner's Amendn 8. Examiner's Stateme 9. Other	(PTO-413), e nent/Comment	·

Art Unit: 3751

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. H.T. Than on 8-22-06.

The application has been amended as follows:

In claim 13, line 8: after "supply" (second occurrence) insert - - , wherein the adapter further comprises a pump - -.

In claim 49, line 10: after "adapter" insert - - includes a pump and - -.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Steven O. Douglas whose telephone number is (571) 272-4885. The examiner can normally be reached on Mon-Fri 6:30-5:00.

The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/725,264

Art Unit: 3751

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) of 571-272-1000.

Step en O. Douglas Primary Examiner Art Unit 3751 Page 3

Sd 8-22-06